



Light Source Test Report



CIE Color Parameters:

Chromaticity Coordinate: x=0.4607 y=0.4205/u=0.2586 v=0.3541
 CCT:Tc= 2765K Prcp WaveL: λd=582.8nm Purity=64.5%
 Peak WaveL: λp=600nm Half Width: Δλp=110.1nm Ratio:R=24.2% G=72.8% B=3.0%
 Average Wave: 594nm
 Rendering Index:Ra=80.3
 R1 =80 R2 =94 R3 =89 4 =74 R5 =80 R6 =95 R7 =77 R8 =52
 R9 =-1 R10=88 R11=73 12=77 R13=83 R14=94 R15=70

Photo Parameters:

(Standard lamp:A2856K)
 Flux:F=619.37(lm) Luminous Efficacy: 108.55(lm/W) Luminous Power:P=1.866(W)

Electrical Parameters:

U=231.3V I=0.0505A P=5.705W PF=0.488

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm Ip = 1066(G=2,D=52)
 REF = 19196 % = -3.939% TMP(PMT) = 30.5degrees centigrade

Product Type:A60-6W 2700K
 Instrument:PMS-50 System
 Temperature:25.9deg
 Test Operator:

Manufacturer:Well
 Test Department:
 Humidity:65.0%
 Test Date:2015-07-17 14:01